



US007042619B1

(12) **United States Patent**  
**McGinley et al.**

(10) **Patent No.:** **US 7,042,619 B1**  
(45) **Date of Patent:** **May 9, 2006**

(54) **MIRROR STRUCTURE WITH SINGLE CRYSTAL SILICON CROSS-MEMBER**

(75) Inventors: **Brian K. McGinley**, Saratoga, CA (US); **Jonathan D. Mohn**, Saratoga, CA (US); **Howard Woo**, San Jose, CA (US)

(73) Assignee: **Miradia Inc.**, Sunnyvale, CA (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

5,600,383 A	2/1997	Hornbeck	
5,661,591 A	8/1997	Lin et al.	
5,663,749 A	9/1997	Fams et al.	
5,742,419 A	4/1998	Dickensheets et al.	
5,757,536 A	5/1998	Rioco et al.	
5,793,519 A *	8/1998	Furlani et al.	359/291
5,835,256 A	11/1998	Huibers	
5,885,468 A	3/1999	Kozlowski	
5,939,171 A	8/1999	Biebl	
5,999,306 A	12/1999	Atobe et al.	
6,038,056 A	3/2000	Florence et al.	
6,046,840 A	4/2000	Huibers	
6,049,317 A	4/2000	Thompson et al.	

(Continued)

(21) Appl. No.: **10/871,150**

(22) Filed: **Jun. 18, 2004**

(51) **Int. Cl.**  
**G02B 26/00** (2006.01)

(52) **U.S. Cl.** ..... **359/290**; 359/291; 359/298; 359/223

(58) **Field of Classification Search** ..... 359/290, 359/291, 292, 295, 298, 222, 223, 224, 248  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,229,732 A	10/1980	Hartstein et al.	
4,317,611 A	3/1982	Petersen	
4,566,935 A	1/1986	Hombeck	
4,615,595 A	10/1986	Hornbeck	
5,061,049 A	10/1991	Hornbeck	
5,172,262 A	12/1992	Hombeck	
5,311,360 A	5/1994	Bloom et al.	
5,382,961 A	1/1995	Gale, Jr.	
5,448,314 A	9/1995	Heimbuch et al.	
5,452,024 A	9/1995	Sampsell	
5,489,952 A	2/1996	Gove et al.	
5,504,614 A	4/1996	Webb et al.	
5,535,047 A *	7/1996	Hornbeck	359/295
5,583,688 A	12/1996	Hornbeck	
5,589,852 A	12/1996	Thompson et al.	

**FOREIGN PATENT DOCUMENTS**

EP 1237032 A2 9/2002

**OTHER PUBLICATIONS**

Henley et al., "A New SOI Manufacturing Technology Using Atomic layer Cleaving." Silicon Genesis Corporation Campbell CA. pp. 1-5.


(Continued)

*Primary Examiner*—Hung Xuan Dang  
*Assistant Examiner*—Tuyen Tra  
(74) *Attorney, Agent, or Firm*—Townsend and Townsend and Crew LLP

(57) **ABSTRACT**

Hydrogen cleave silicon process for light modulating mirror structure using single crystal silicon as the base cross-member. Existing processes use two critical alignment steps that can contribute to higher actuation voltages and result in lower manufacturing yields. The hydrogen cleave process simplifies the manufacturing process to one step: transferring a thin film of single crystal silicon to the CMOS substrate, resulting in minimal alignment error and providing large bonding area.

**37 Claims, 14 Drawing Sheets**



U.S. PATENT DOCUMENTS

6,127,756 A 10/2000 Iwaki et al.  
6,172,797 B1 1/2001 Huibers  
6,201,521 B1 3/2001 Doherty  
6,252,277 B1 6/2001 Chan et al.  
6,285,490 B1\* 9/2001 Meier et al. .... 359/291  
6,323,982 B1 11/2001 Hornbeck  
6,337,760 B1 1/2002 Huibers et al.  
6,356,378 B1 3/2002 Huibers  
6,388,661 B1 5/2002 Richards  
6,396,619 B1 5/2002 Huibers et al.  
6,429,033 B1 8/2002 Gee et al.  
6,529,310 B1 3/2003 Huibers et al.  
6,538,800 B1 3/2003 Huibers  
6,542,653 B1 4/2003 Wu et al.  
6,543,286 B1 4/2003 Garverick et al.  
6,809,852 B1 10/2004 Tao et al.  
6,820,988 B1\* 11/2004 van Driehhuizen  
et al. .... 359/872  
6,827,866 B1 12/2004 Novotny  
6,856,068 B1 2/2005 Miller et al.  
6,891,654 B1 5/2005 Kurosawa et al.  
6,891,655 B1 5/2005 Grebinski et al.  
2002/0041455 A1 4/2002 Sawada et al.

2002/0071166 A1 6/2002 Jin et al.  
2002/0071169 A1 6/2002 Bowers et al.  
2002/0132389 A1 9/2002 Patel et al.  
2003/0117686 A1 6/2003 DiCarlo  
2003/0207487 A1 11/2003 Kubena et al.  
2004/0000696 A1 1/2004 Ma et al.  
2004/0004753 A1 1/2004 Pan  
2004/0008402 A1 1/2004 Patel et al.  
2004/0125347 A1 7/2004 Patel et al.  
2004/0136044 A1 7/2004 Miller et al.  
2004/0184133 A1 9/2004 Su et al.  
2004/0190817 A1 9/2004 Aubuchon  
2005/0041277 A1 2/2005 Huibers

OTHER PUBLICATIONS

Petersen, K.E., Micromechanical Light Modulator Array Fabricated On Silicon. Applied Physics Letters. Oct. 15, 1977, pp. 521-523, vol. 31 No. 8.  
Petersen, K.E., Micromechanical Membrane Switches On Silicon. IBM J. Res. Develop., Jul. 1979, pp. 376-385. vol. 23, No. 4.

\* cited by examiner




FIG. 1






FIG. 2



**FIG. 3A**  
**(PRIOR ART)**



**FIG. 3B**







FIG. 4




**FIG. 5A**



**FIG. 5B**




**FIG. 5C**




**FIG. 5D**





**FIG. 5E**



**FIG. 5F**




FIG. 5G




FIG. 5H







FIG. 5I




**FIG. 6A**




**FIG. 6B**




**FIG. 6C**




**FIG. 6D**




**FIG. 6E**




**FIG. 6F**




**FIG. 6G**



**FIG. 6H**



**FIG. 6I**



**FIG. 7**



## MIRROR STRUCTURE WITH SINGLE CRYSTAL SILICON CROSS-MEMBER

### FIELD OF THE INVENTION

This invention relates to spatial light modulators (SLMs), and more particularly to a micro mirror structure with hidden cross-members to maximize pixel fill ratio, minimize scattering and diffraction, and achieve a high contrast ratio and high image quality.

### BACKGROUND

Spatial light modulators (SLMs) have numerous applications in the areas of optical information processing, projection displays, video and graphics monitors, televisions, and electrophotographic printing. Reflective SLMs are devices that modulate incident light in a spatial pattern to reflect an image corresponding to an electrical or optical input. The incident light may be modulated in phase, intensity, polarization, or deflection direction. A reflective SLM is typically comprised of an area or two-dimensional array of addressable picture elements (pixels) capable of reflecting incident light. A key parameter of SLMs, especially in display applications, is the ratio of the optically active area to the pixel area, also called the "fill ratio." A high fill ratio is desirable.

Prior art SLMs have various drawbacks. These drawbacks include, but are not limited to: (1) a lower than optimal optically active area that reduces optical efficiency; (2) diffraction and scattering that lowers the contrast ratio of the display; (3) reliance upon materials that have long-term reliability problems; and (4) complex manufacturing processes that increase the expense of the device and lower the yield of devices from a wafer.

Many prior art devices include substantial non-reflective areas on their surfaces. This provides low fill ratios, and provides lower than optimum reflective efficiency. For example, U.S. Pat. No. 4,229,732 discloses MOSFET devices that are formed on the surface of a device in addition to mirrors. These MOSFET devices take up surface area, reducing the fraction of the device area that is optically active and reducing reflective efficiency. The MOSFET devices on the surface of the device also diffract incident light, which lowers the contrast ratio of the display. Further, intense light striking exposed MOSFET devices interfere with the proper operation of the devices, both by charging the MOSFET devices and overheating the circuitry.

Similarly, many devices include walls or frames that surround each micro mirror and separate adjacent mirrors, as shown in FIG. 3A. These walls may be used to support the mirror cross-member, and often extend to a height coplanar with the micro mirror. The presence of the walls limit mirror size and thus limit the fill ratio possible using such designs.

Some SLM designs have rough surfaces that scatter incident light and reduce reflective efficiency. For example, in some SLM designs the reflective surface is an aluminum film deposited on an low-pressure chemical vapor deposition (LPCVD) silicon nitride layer. It is difficult to control the smoothness of these reflective mirror surfaces as they are deposited with thin films. Thus, the final product has rough surfaces, which reduce the reflective efficiency.

Another problem that reduces reflective efficiency with some SLM designs, particularly in some top hanging mirror designs, is large exposed cross-member surface areas. These exposed cross-member surface areas result in scattering and

diffraction due to the cross-member structure, which negatively impacts contrast ratio, among other parameters.

Many conventional SLMs, such as the SLM disclosed in U.S. Pat. No. 4,566,935, have cross-members made of aluminum alloy. Aluminum, as well as other metals, is susceptible to fatigue and plastic deformation, which can lead to long-term reliability problems. Also, aluminum is susceptible to cell "memory," which means that the rest position begins to tilt towards its most frequently occupied position.

Other conventional SLMs require multiple layers and processing steps. Manufacturing such a multi-layer SLM requires use of repetitive multi-layer thin film stacking, etching, and other processes that increase the expense and complexity of manufacturing the device. Often, the use of these techniques also produces lower yields. For example, use of these techniques often involves extensive depositions multiple layers, depositions and removals of sacrificial materials, epitaxial growth steps, and multiple etching and stripping steps. In addition, some flip-and-bond processes require meticulous alignment of the various layers.

Conventionally, some SLMs also require the use of silicon on insulator (SOI) wafers. In addition to driving up the cost of SLM manufacturing, the use of SOI wafers requires that they be thinned using chemical mechanical planarization (CMP), which may cause the wafer to break or delaminate, and often causes the highest yield loss of all SLM processing steps.

What is desired is an SLM with improved reflective efficiency, SLM device long-term reliability, and simplified manufacturing processes.

### SUMMARY

The present invention is a spatial light modulator (SLM). In one embodiment, the SLM has addressing and control circuitry for the micro mirror array on a first substrate/layer. In addition, individually addressable electrodes are etched on a second substrate/layer and a selectively deflectable reflective micro mirror array fabricated on the second substrate. Alternatively, portions of the addressing and control circuitry are on a separate substrate and connected to the circuitry and electrodes on the first substrate.

The micro mirror array includes a controllably deflectable mirror plate with a highly reflective surface to reflect incident light. The mirror plate is connected to a cross-member by a connector, both of which are substantially concealed under the reflective surface. The cross-member connects to the corners of a base that is also part of the second substrate, as there is no spacer support frame or walls between the mirrors. In an example described herein, the absence of walls surrounding the mirrors allow for larger mirror size and a higher fill ratio than designs including walls. In addition, because there are no walls, the mirror plates require less space between them, maximizing the fill ratio and contrast ratio for the array.

Electrodes located on the second substrate control individual mirrors in the micro mirror array. The cross-member is fabricated from the second substrate, upon which the mirror plate and the connector are built. In one embodiment, the second substrate is a wafer of a single material, such as crystal silicon.

Further, because the cross-member is fabricated from a single crystal silicon material in one embodiment, the resulting cross-member is stronger and more reliable and suffers from virtually no memory effect, fractures along grain boundaries or fatigue. A single crystal silicon substrate has

significantly fewer micro defects and cracks than other materials, especially deposited thin films. As a result, it is less likely to fracture (or to propagate micro fractures) along grain boundaries in a device.

The process used to manufacture the mirror minimizes the use of multi-layer thin film stacking and etching processes and techniques. Thus in one embodiment, sacrificial material deposition and removal is confined to the area surrounding the cross-member.

The SLM is fabricated with few steps, which keeps the fabrication cost and complexity low. Cavities are formed in a first side of the first substrate. In parallel, hydrogen ions are implanted on a first side of the second substrate. The first side of the first substrate is bonded to the first side of the second substrate. Then, a portion of the second substrate is cleaved off using hydrogen-induced silicon layer cleavage. Through this process, only minimal alignment (~0.5 mm) of the wafers is needed, and no thinning of the silicon wafer is required. Then a cross-member and electrodes are etched in the second substrate, a sacrificial material is deposited in the area around the cross-member, a reflective surface is deposited to create a mirror plate, the mirror plate is released by etching, to remove the sacrificial layer around the cross-member.

The net result is an easily manufacturable SLM that can achieve high optical efficiency and performance to produce high quality images reliably and cost-effectively.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is an illustration of the general architecture of a spatial light modulator according to one embodiment of the present invention.

FIG. 2 is a perspective view diagram of a single micro mirror in accordance with one embodiment of the present invention.

FIG. 3A is a plan view illustration of a prior art micro mirror array.

FIG. 3B is a plan view illustration of a portion of a micro mirror array in accordance with one embodiment of the present invention.

FIG. 4 is a flowchart illustrating fabrication of a spatial light modulator in accordance with one embodiment of the present invention.

FIGS. 5A through 5I are cross-sectional diagrams illustrating in greater detail the substrates at various steps in the fabrication of a spatial light modulator in accordance with one embodiment of the present invention.

FIGS. 6A through 6I are plan view diagrams illustrating in greater detail the substrates at various steps in the fabrication of a spatial light modulator in accordance with one embodiment of the present invention.

FIG. 7 is a plan view of a single micro mirror in accordance with one embodiment of the present invention.

#### DETAILED DESCRIPTION OF THE EMBODIMENTS

##### Spatial Light Modulator Overview

Referring now to FIG. 1, there is shown a schematic diagram that illustrates the general architecture of a SLM 100 according to one embodiment of the invention. In this example, the SLM 100 has three layers. The first layer is a mirror array 105, the second layer is an electrode array 110, and the third layer is a layer of control circuitry 115.

In one embodiment, the mirror array 105 is fabricated from a first substrate/layer 120 that, upon completion of fabrication, is a single material, such as single crystal silicon in the SLM 100. The mirror array 105 has a plurality of deflectable micro mirrors 130.

The electrode array 110 has a plurality of electrodes 135 for controlling the micro mirrors 130. Each electrode 135 is associated with a micro mirror 130 and controls the deflection of that micro mirror 130. Addressing circuitry allows selection of a single electrode 135 for control of the particular micro mirror 130 associated with that electrode 135.

The control circuitry 115 has addressing circuitry, which allows the control circuitry 115 to control a voltage applied to selected electrodes 135. This control allows the control circuitry 115 to create deflections of the mirrors 130 in the mirror array 105 via the electrodes 135. Typically, the control circuitry 115 also includes display control logic 140, line memory buffers 145, a pulse width modulation array 150, and inputs for video signals 170 and graphics signals 175. A micro mirror controller 155, optics control circuitry 160, and a flash memory 165 may be external components connected to the control circuitry 115, or may be included in the control circuitry 115 in some embodiments. In various embodiments, some of the above listed parts of the control circuitry 115 may be absent, may be on a separate substrate/layer and connected to the control circuitry 115, or other additional components may be present as part of the control circuitry 115 or connected to the control circuitry 115.

After the layers 105, 110, and 115 are fabricated, they are bonded together to form the SLM 100. The first layer with the mirror array 105 covers the second 110 and third layers 115. However, in some embodiments the layers 105, 110, and 115 may be manufactured together. Therefore, the term "layer" is meant to be an aid for conceptualizing different parts of the spatial light modulator 100. The present invention uses fabrication techniques that allow the creation of small feature sizes, such as processes that allow fabrication of features of 0.18 microns, and processes that allow the fabrication of features of 0.13 microns or smaller. In other embodiments, various combinations of the electrodes 135 and components of the control circuitry 115 may be fabricated on different substrates and electrically connected.

##### The Mirror

Referring now to FIG. 2, there is shown a perspective view of two micro mirrors 130 in accordance with one embodiment of the present invention. In this example, the micro mirror 130 includes at least one mirror plate 205, a connector/pedestal 210, and a cross-member 215. The mirror plate 205 is the portion of the micro mirror 130 that is coupled to the cross-member 215 by a connector 210 and selectively deflected by applying a voltage bias between the mirror 130 and a corresponding electrode 135. In one embodiment, the mirror plate 205 is fabricated from a metal, aluminum in one embodiment, which acts as a reflective surface. In the embodiment shown in FIG. 2, the mirror plate 205 is substantially square in shape, and approximately fifteen microns by fifteen microns, for an approximate area of 225 square microns, although other shapes and sizes are also possible. The mirror plate 205 has an upper surface 220 and a lower surface 225. The upper surface 220 is preferably a highly smooth mirror surface and preferably constituting a large proportion of the surface area of the micro mirror 130. The upper surface 220 reflects light from a light source at an angle determined by the deflection of the mirror plate 205. The cross-member 215 is formed substantially beneath and is substantially concealed by the mirror plate 205.

5

The gap 240 between adjacent mirror plates 205 is only limited by the limitations of the fabrication technology and process and the cantilever effect of the mirrors, typically less than 0.5 micron. The close spacing of the mirror plates 205 and the hiding of the cross-member 215 allow for a high fill ratio for the micro mirror array 130, improved contrast ratio, and minimized scattering and diffraction of light.

As illustrated in FIG. 2, the mirror plate 205 is connected to a cross-member 215 by a connector 210. The cross-member 215 is formed substantially beneath and is substantially concealed by the mirror plate 205. The structures below the mirror 205 level are indicated by dotted lines for purposes of illustration. The cross-member 215 has two ends, each connected to a opposite corner 230 of a base portion of the second substrate/layer in the form of bias streets 435 that run in two directions through the array 100 and around the perimeter of individual mirrors 130. The cross-member 215 is diagonally oriented (e.g., at a 45 degree angle) with respect to either side of the mirror 130, with half of the mirror plate 205 on each side. Thus, the mirror plate 205 can be thought of as having two sides: a first side 205a and a second side 205b, each of which is controlled by a corresponding electrode 135 and 135b, respectively. Other hinges, cross-members, and connection schemes for the mirror plate 205 and cross-member 215 also could be used in alternative embodiments. In one embodiment, the cross-member 215 acts as a hinge and a spring.

In operation, either side 205a or 205b of the mirror plate 205 is attracted to one of the electrodes 135a or 135b beneath it and pivots downward to provide a wide range of angular motion. The cross-member 215 allows the mirror plate 205 to rotate about the axis of the cross-member 215 (diagonal across a plan view of the mirror plate 205) when a force such as an electrostatic force is applied to the mirror plate 205 by applying a voltage between the mirror 130 and the corresponding electrode 135. This rotation produces the angular deflection for reflecting light in a selected direction.

In one embodiment, the cross-member 215 is fabricated from single crystal silicon, a material that is stronger, more reliable, and suffers from virtually no memory effect, fractures along grain boundaries, or fatigue, all of which are common with cross-members made of from many other materials used in micro mirror arrays. In other embodiments, other materials may be used instead of single crystal silicon. One possibility is the use of another type of silicon (e.g. polysilicon, or amorphous silicon) for the cross-member 215, or even making the cross-member 215 completely out of a metal (e.g. an aluminum alloy, or tungsten alloy).

The connector 210 positions the mirror plate 205 at a predetermined distance 235 above the electrodes 135 and addressing circuitry so that the mirror plate 205 may deflect downward to a predetermined angle. The height 235 of the connector 210 is chosen based on the desired separation between the mirror plate 205 and the electrodes 135, and the topographic design of the electrodes 135. A larger height 235 allows more deflection of the mirror plate 205, and a higher maximum deflection angle. Generally, a larger deflection angle provides a higher contrast ratio. In one embodiment, the deflection angle of the mirror plate 205 is 12 degrees. In another embodiment, the mirror plate 205 can rotate as much as 90 degrees if provided sufficient spacing and drive voltage.

Because there are no spacer support walls between adjacent mirror plates 205, the mirror plates 205 are placed closely together to increase the fill ratio of the mirror array 130. The gap 240 between mirror plates 205 can be made as small as the feature size supported by the fabrication tech-

6

nique, angle of deflection, and size of mirror. Thus, in one embodiment, the gaps 240 are 0.5 micron. Without walls, the size of the gaps 240 can further decrease only with decreased mirror size. Embodiments of the present invention allow high fill ratios. In one embodiment, the fill ratio is 89% or higher. FIG. 3B shows the close spacing of the micro mirrors in comparison with prior art devices, such as illustrated in FIG. 3A. As shown, the walls 257 between mirrors 259 in the prior art array 255, shown in FIG. 3A, necessitate a larger distance 260 between mirrors 259 than the distance 270 between the mirrors 205 of the array 100 of the present invention, as shown in FIG. 3B.

In some embodiments, the micro mirror 130 includes motion stops (not shown) that stop the deflection of the mirror plate 205 as known in the art. When present, the motion stops prevent the mirror plate 205 from deflecting further than the angle provide by the stops. There are several possible configurations for the motion stops. The present invention is not limited to the elements or techniques for stopping the deflection of the mirror plate 205 described herein. Any elements and techniques known in the art may be used.

#### Workflow Process

Referring now to FIG. 4, there is shown a flowchart depicting steps for manufacturing the SLM 100 in accordance with one embodiment of the present invention. The process begins with a standard CMOS wafer, which can be purchased or manufactured using methods known in the art. A mask is generated 300 and put on the CMOS wafer to initially partially fabricate the micro mirrors 130. One embodiment of this mask is shaped substantially like a polygon as illustrated in FIG. 6A and defines the area that will not be etched 305 from one side of the first substrate 115. The mask is made of a photoresist material or other dielectric material, such as silicon oxide or silicon nitride, which will prevent the first substrate 115 beneath from being etched. The CMOS wafer is etched 305 to create a shallow cavity centered between buried metal electrode connection pads on the CMOS wafer. FIG. 5A shows a cross-sectional view of the CMOS wafer 400 along dashed line 250 in FIG. 2, illustrating the shape and placement of the cavity 405 in accordance with one embodiment of the present invention. FIG. 6A shows a plan view of the CMOS wafer 400 with the etched cavity 405. This step creates the cross-member cavity 405 which the cross-member 215 will be suspended over and move within. In a preferred embodiment, the CMOS wafer 400 has a thickness of about 700 microns to about 750 microns and the cavity 405 has a depth of about 0.5 to 1.0 microns, depending on the width of the cross member 215. Standard dielectric etch chemistries widely known and used in the art would be used for the etch.

Referring again to FIG. 4, separately from the fabrication of the cavity 405 in the CMOS wafer 400, a second fabrication begins with a single crystal silicon wafer 310. The single crystal silicon wafer 310 is hydrogen doped 315 on one side, implanting hydrogen ions to a predetermined depth. In one embodiment, a <100> silicon wafer 310 is implanted with 40 keV protons to a variety of ion doses ranging from  $1 \times 10^{16}$  to  $1 \times 10^{17}$   $\text{cm}^{-2}$  at a predetermined depth of 2–6K Angstroms (Å). Then, the hydrogen-doped side of the single crystal silicon wafer 315 is bonded 320 to the etched side of the CMOS wafer 400. In one embodiment, the bonding occurs at room temperature or slightly higher. FIG. 5B shows a cross-section view of the CMOS wafer 400 along dotted line 250 in FIG. 2, illustrating the CMOS wafer 400 bonded to the single crystal silicon wafer 310. The

hydrogen ion implantation line is indicated at arrow **410**. The portion of the single crystal silicon wafer **310** on the unbonded side of the hydrogen ion implantation line **410** is referred to as the carrier wafer **415**. FIG. 6B shows a plan view of the single crystal silicon wafer **310** covering the CMOS wafer **400**. Bonding the CMOS wafer **400** to the single crystal silicon wafer **310** has several advantages over processes requiring alignment of the layers. For example, this method provides large bonding surfaces and only minimal alignment (~0.5 mm) is required of the single crystal silicon wafer **310** and CMOS wafer **400**. In one embodiment, all alignment tolerances can be met at <0.1 μm based on std. 0.18 to 0.25 μm foundry process flow capability.

Referring again to FIG. 4, the carrier wafer portion **415** of the single crystal silicon wafer **310** is cleaved **325** at the hydrogen ion implantation line **410** through a physical or heat cleave process at temperatures less than 400° C. The result is that only a thin layer, in this example 2–6K Å, of the single crystal silicon wafer **310**, the portion from the hydrogen ion implantation line **410** to the CMOS wafer **400** remains bonded to the CMOS wafer **400**. The hydrogen implant depth is easily controllable through this process, is accurate to less than 5% of the total thickness of the single crystal silicon wafer **310**, and is uniform within the die and from die to die. FIG. 5C shows a cross-sectional view of the CMOS wafer **400** along dotted line **250** in FIG. 2 bonded to the remaining single crystal silicon wafer **310**. FIG. 6C shows a plan view of the thinned single crystal silicon wafer **310**. The thin single crystal silicon wafer **310** is semi-transparent and thus the silhouette of the cavity **405** and alignment marks for the next lithography step are visible through the crystal silicon wafer **310**.

This process has numerous advantages over the use of an SOI wafer. First, the cost of an SOI wafer is much higher than a single crystal silicon wafer **310**. In addition, SOI wafers create additional steps in the manufacturing process, as they must be thinned or ground down using, for example using chemical mechanical polish (CMP) and then wet or dry etched. The thinning of the SOI wafer may cause the wafer to break or delaminate, and often is the source of the highest yield loss of all SLM processing steps. In contrast, hydrogen-induced silicon layer cleavage requires no grinding or thinning of the single crystal silicon wafer **310** and thus reduces the chance of breakage.

Referring again to FIG. 4, the layers **400**, **310** are patterned and vias (shown filled by plugs **420**) are etched **330** down to contact the metal interconnect **425** of the CMOS wafer **400**. Etching is by the methods described above in conjunction with step **305**. Then, metal “plugs” **420** are deposited in the vias and etched back if necessary. In one embodiment, the metal used for the plugs is tungsten or titanium tungsten. The plugs **420** provide electrical connection between the metal interconnect **425** of the CMOS wafer **400** and the metal layer to be deposited on top of the single crystal silicon **310**, as well as the single crystal silicon layer **310** itself, as described in the next step **240**. Etching back may not be required, depending on film deposition accuracy. Metal maybe left in place for additional conductivity or etch back can be used to leave the silicon as the electrode (with vias connecting the silicon to the metal interconnect). FIG. 5D shows a cross-sectional view of vias (**420**) etched in the wafers **400**, **310**, along dotted line **250** in FIG. 2, filled with tungsten plugs **420**. FIG. 6D shows a plan view of the wafers **400**, **310** with tungsten plugs **420** in the vias down to metal **3** (**425**) of the CMOS wafer **400**.

Referring again to FIG. 4, a metal stack **430** is deposited **240** on top of the single crystal silicon layer **310**. In one

embodiment, the stack **430** is aluminum/titanium tungsten or titanium nitride (or other single or multilayer metal stack), to a total thickness of <500–1000 Å. The metal stack **430** serves as hard stopping surface for the micro mirror, is a high electrical conductor, and could be chosen such that it is anti-reflective. FIG. 5E shows a cross-sectional view of the metal stack **430** above the single crystal silicon wafer **310** along dotted line **250** in FIG. 2. FIG. 6E shows a top plan view, with the metal stack **430** concealing the layers below.

Referring again to FIG. 4, the metal stack layer **430** and single crystal silicon layer **310** are patterned and etched **345** to release a cross-member **215** and isolate and open an electrode pattern. In one embodiment, the electrodes are silicon with anti-reflective titanium nitride on top. This composition simplifies the under mirror structure, as it eliminates the need for a metal **4** layer. In addition, no buried bias metal interconnect is needed due to large “streets” **435** that remain around the edges of the silicon **310** and metal stack **430** layers, forming a base for the cross-member **215** to attach to. In one embodiment, the bias streets **435** have a width several microns or more. The connection between the mirror plate **205** and the bias streets **435** significantly increases the current speed and path to the mirror plate **205**, which keeps bias potential even across the mirrors **205** and reduces stiction or charge up. Thus no separate touch down electrode is needed to keep mirrors **205** at constant bias, as the mirror plate **205** will land on the bias streets **435** and be continuous through the connector **210** and sufficiently biased through the connector **210**.

FIG. 5F shows a cross-sectional view of the addition of the patterned metal stack layer **430** along dotted line **250** in FIG. 2, detailing the layout of the cross-member **215**, electrodes **135**, bias streets **435**, opened areas **443** beside the cross-member **215** connecting to the cavity **405** in the CMOS wafer **400**, and open areas **440** near the bias streets **435**. FIG. 6F shows a plan view showing the layout of the cross-member **215**, electrodes **135**, bias streets **435**, and opened areas **440**, **443**. The cross-member **215** is suspended over the cavity **405** etched in the CMOS wafer **400**, but the ends **230** (shown in FIG. 2 and FIG. 6F only) of the cross-member **215** remain connected to the edges of the metal stack layer **430** and silicon layer **310** and continuous with the bias streets **435**.

Referring again to FIG. 4, a layer **445a** of sacrificial material, such as photoresist, is then deposited **350** above the metal stack layer **430**, filling the open areas **440** beside the cross-member **215** and the cavity **405** in the CMOS wafer **400**. The photoresist **445a** can be spun on and baked at 90–100° C. The thickness of the sacrificial layer can be selected to the desired height for the mirror plate **205**. In one embodiment, the thickness is about 2 microns.

Then, the photoresist layer **445a** is patterned **355** to define a via down to the cross-member **215**. FIG. 5G shows a cross-sectional view of the addition of the photoresist **445a** and the via **450** down to the cross-member **215** along dotted line **250** in FIG. 2. FIG. 6G shows a top view, wherein the photoresist **445a** conceals the layers below except where the via **450** reveals a portion of the metal stack layer **430**.

Referring again to FIG. 4, if needed an adhesive layer (not shown) is then deposited, followed by depositing **360** a reflective layer **460**, such as mirror aluminum or any other reflective material known in the art. The reflective layer **460** is deposited **360** as a hot vapor through CVD or PVD, which will plate and fill the via **450** hole, and create the mirror plate **205**. The need for an adhesive layer is dependent in part on the material used for the layers coming into contact, the reflective **460** and stack **430** layers. The reflective layer **460**

must adhere strongly to the stack layer **430** so that it will not break when pulled down by the actuation voltage. For example, in one embodiment in which both surfaces are metal, an adhesive layer may not be needed. Alternatively, an intermediate layer may be desired for metal-to-metal contact because the hot vapor reflective layer material **460** may not adhere well to a comparatively cold metal surface **430**. Alternatively, another embodiment uses an aluminum or tungsten reflective layer **460** down to a single crystal silicon line **430**. In this example, a silicide is deposited, which will diffuse into both the metal and the single crystal silicon to firmly bond the layers.

In one embodiment the reflective layer **460** is deposited **360** to a thickness of 2–6K Å, and polished back to the desired finish and thickness to form the mirror plate **205**. In one embodiment, the desired thickness of the mirror plate **205** is 0.4 microns. Then, the mirrors are patterned and etched **365** using standard metal etch chemistry. In one embodiment, the reflective layer **460** is made of 100% aluminum, which eliminates any thermal problems associated with metal to silicon contact in a multilayer mirror. FIG. 5H shows a cross-sectional view of the deposited mirror **360**/mirror plate **205** along dotted line **250** in FIG. 2, including etched areas **465** above the sacrificial layer **445a**. FIG. 5H shows a plan view, in which the mirror plate **205** conceals most of the layers below, revealing only the edges of the sacrificial layer **445a**. In this process, there are no spacer support walls between the mirrors **205**, which are separated only by open spaces **240** between them. Therefore, the area of the mirror surface **205** in this design is substantially larger than designs in which a spacer wall separates the mirrors **205**, allowing for a higher fill ratio.

After the etch **365** of the reflective surface, the mirror plate **460** is released, however, the cross-member **215** is still held in place by the sacrificial material **445a** and cannot rotate around the cross-member **215**. Referring again to FIG. 4, the mirror plate **460** then is released by removal **370** of the sacrificial layer **445a**. In one embodiment, in which the sacrificial layer **445a** is photoresist, the removal **370** is by downstream oxygen ashing using an O<sub>2</sub> chamber. In other embodiments, other chemistries are used to ensure clean surfaces and no contamination. FIG. 5I shows a cross-sectional view of the layers along dotted line **250** in FIG. 2 after removal of the sacrificial layer **445a**. In one embodiment, ashing **370** removes photoresist **445a** from the cavity **405**, opened areas **440**, and area between the metal stack **430** and mirror **460** layers, revealing a gap **445b** where the photoresist **445a** was previously. FIG. 6I shows a top plan view, in which the mirror plate **205** conceals most of the layers below, revealing only the edges of the stack layer **430**. After the sacrificial material **445a** is removed **370**, the cross-member **215** is released and the mirror plate **460** is free to rotate about the cross-member **215**. By following the above fabrication steps, the result is a cross-member **215** that is formed substantially beneath the mirror plate **205**, and thus is concealed by the reflective surface of the mirror plate **205**.

FIG. 7 shows a plan view of a single micro mirror in accordance with one embodiment of the present invention, in which the mirror plate **205** is transparent for illustration purposes, with just the outline of the plate **205** shown with a thickened line. With this transparent illustration, the layout of the electrodes **135**, cross-member **215**, bias streets **435**, and connector **450** can be seen as they appear under the mirror plate **205**.

Referring again to FIG. 4, standard final processing steps known in the art such as covering with a glass layer, die

separation, and packaging are performed **375**. In some embodiments, the micro-mirror array **120** is protected by a piece of glass or other transparent material. As discussed above, multiple SLMs **100** may be fabricated at once. However, if multiple SLMs **100** are fabricated together, they must be separated into the individual SLMs **100**. There are many ways to separate each spatial light modulator **100** and ready it for use. In one embodiment, the die is packaged wafer scale. In one embodiment, final processing steps **375** include packaging each separated spatial light modulator **100** using standard packaging techniques.

#### Mirror Operation

Referring again to FIGS. 1, 2, and 6I, in operation, individual reflective micro mirrors **130** are selectively deflected and serve to spatially modulate light. A voltage is applied to an electrode **135** on one side of the mirror **130** to control the deflection of the corresponding part of the mirror plate **205** above the electrode **135** (side **205a** in FIG. 2). When a voltage is applied to the electrode **135**, half of the mirror plate **205a** is attracted to the electrode **135** and the other half of the mirror plate **205b** is moved away from the electrode **135**. A voltage that causes the mirror plate **205** to fully deflect downward until stopped by the physical elements that stop the deflection of the mirror plate **205** is known as a “snapping” or “pulling” voltage. Thus, to deflect the mirror plate **205** fully downward, a voltage equal or greater to the snapping voltage is applied to the corresponding electrode **135**. When the mirror plate **205** deflects past the “snapping” or “pulling” voltage, approximately 15 volts or less in one embodiment, the restoring mechanical force or torque of the cross-member **215** can no longer balance the electrostatic force or torque and the half of the mirror plate **205** having the electrostatic force under it, **205a** or **205b**, “snaps” down toward the electrode **135** under it to achieve full deflection, limited only by the motion stops, if any. This activity causes the mirror plate **205** to rotate about the cross-member **215**.

In one embodiment, when the voltage is removed from the electrode **135**, the cross-member **215** causes the mirror plate **204** to spring back to its unbiased position. In another embodiment, a voltage may be applied to the electrode **135** on the other side (**205b**) of the mirror plate **205** to deflect the mirror in the opposite direction. Thus, light striking the mirror **205** is reflected in a direction that can be controlled by the application of voltage to the electrode **135**.

The micro mirror **205** is an electromechanically bistable device. Given a specific voltage between the releasing voltage and the snapping voltage, there are two possible deflection angles at which the mirror plate **205** may be, depending on the history of mirror **205** deflection. Therefore, the mirror **205** deflection acts as a latch. These bistability and latching properties exist since the mechanical force required for deflection of the mirror **205** is roughly linear with respect to deflection angle, whereas the opposing electrostatic force is inversely proportional to the distance between the mirror plate **205** and the electrode **135**.

Since the electrostatic force between the mirror plate **205** and the electrode **135** depends on the total voltage difference between the mirror plate **205** and the electrode **135**, a negative voltage applied to a mirror plate **205** reduces the positive voltage needed to be applied to the electrode **135** to achieve a given deflection amount. Thus, applying a voltage to a mirror array **105** can reduce the voltage magnitude requirement of the electrodes **135**.

Since the maximum deflection of the mirror **205** is fixed, the SLM **100** can be operated in a digital manner if it is

operated at voltages past the snapping voltage. The operation is essentially digital because the mirror plate 205 is either fully deflected downward by application of a voltage to the associated electrode 135 on one side of the mirror plate 205a or 205b or deflected downward to the other side of the mirror plate 205b or 205a when energizing the other electrode 135 on the other side of the mirror plate 205.

In video display applications, when the mirror plate 205 is fully deflected downward, the incident light on that mirror plate 205 is reflected to a corresponding pixel on a video display screen, and the pixel appears bright. When the mirror plate 205 is allowed to spring upward, the light is reflected in such a direction so that it does not strike the video display screen, and the pixel appears dark.

During such digital operation, it is not necessary to keep the full snapping voltage on an electrode 135 after an associated mirror plate 205 has been fully deflected. During an "addressing stage," voltages for selected electrodes 135 that correspond to the mirror plates 205 which should be fully deflected are set to levels required to deflect the mirror plates 205. After the mirror plates 205 in question have deflected due to the voltages on electrodes 135, the voltage required to hold the mirror plates 205 in the deflected position is less than that required for the actual deflection. This is because the gap between the deflected mirror plate 205 and the addressing electrode 135 is smaller than when the mirror plate 205 is in the process of being deflected. Therefore, in the "hold stage" after the addressing stage the voltage applied to the selected electrodes 135 can be reduced from its original required level without substantially affecting the state of deflection of the mirror plates 205. One advantage of having a lower hold stage voltage is that nearby undeflected mirror plates 205 are subject to a smaller electrostatic attractive force, and they therefore remain closer to a zero-deflected position. This improves the optical contrast ratio between the deflected mirror plates 205 and the undeflected mirror plates 205.

In one embodiment, the voltages are as follows. The total voltage is about ~35V, snap voltage is that on the electrode ~15V, and bias of about ~20V. The snap voltage is either on or off but never reduced. During refresh of the image, the bias is turned off so that mirrors 205 that need to change position can move. The snap voltage of 15V is turned off allowing the mirror 205 to move to flat and be pulled to the opposite position. If the bias is not turned off, the mirror 205 would be stuck even with the 15V off because less voltage is required once the mirror 205 is down.

With the appropriate choice of dimensions (in one embodiment, separation between adjacent mirror plates 205 of 1 to 5 microns depending on mirror structure and deflection angle requirements, and cross-member 215 thickness of [0.05 to 0.45] microns) and materials (such as single crystal silicon <100>), a reflective SLM 100 can be made to have an operating voltage of only a few volts. The shear modulus of the torsion cross-member 215 made of single crystal silicon may be, for example,  $5 \times 10^{10}$  Newton per meter-squared per radium. The voltage at which the electrode 135 operates to fully deflect the associated mirror plate 205 can be made even lower by maintaining the mirror plate 205 at an appropriate voltage (a "negative bias"), rather than ground. This results in a larger deflection angle for a given voltage applied to an electrode 135. The maximum negative bias voltage is the releasing voltage, so when the addressing voltage reduced to zero the mirror plate 205 can snap back to the undeflected position.

In one embodiment, the total voltage required for pull down is 35V. In this example, a bias of -20V needs to get

to the mirrors. Then, an on/off actuation voltage of about 15V is applied to the electrodes below the mirrors. Therefore, the resulting delta is 35V at on or off.

It is also possible to control the mirror plate 205 deflections in a more "analog" manner. In this example, voltages less than the "snapping voltage" are applied to deflect the mirror plate 205 and control the direction in which the incident light is reflected.

Aside from video displays, the spatial light modulator 100 is also useful in other applications. One such application is in maskless photolithography, where the spatial light modulator 100 directs light to develop deposited photoresist. This removes the need for a mask to correctly develop the photoresist in the desired pattern.

Although the invention has been particularly shown and described with reference to multiple embodiments, it will be understood by persons skilled in the relevant art that various changes in form and details can be made therein without departing from the spirit and scope of the invention. For example, the mirror plates 205 may be deflected through methods other than electrostatic attraction as well. The mirror plates 205 may be deflected using magnetic, thermal, or piezo-electric actuation instead.

Finally, it should be noted that the language used in the specification has been principally selected for readability and instructional purposes, and may not have been selected to delineate or circumscribe the inventive subject matter. Accordingly, the disclosure of the present invention is intended to be illustrative, but not limiting, of the scope of the invention, which is set forth in the following claims.

What is claimed is:

1. A method of fabricating a micro mirror, comprising: forming a first substrate defining a cavity on a first side of the first substrate; implanting hydrogen ions to a predetermined depth on a first side of a second substrate; bonding the first side of the first substrate to the first side of the second substrate; and cleaving off a portion of a second side of the second substrate.
2. The method of claim 1, further comprising: fabricating an electrode and a cross-member on the second substrate.
3. The method of claim 2, further comprising: forming a mirror on the second substrate.
4. The method of claim 3, wherein the forming a mirror on the second substrate further comprises: depositing a sacrificial layer onto the second substrate and patterning a via down to the first metal layer; depositing a second metal layer on the second substrate and in the via; etching a mirror on the second metal layer; and removing the sacrificial layer so the mirror plate can rotate about an axis defined by the cross-member.
5. The method of claim 4, further comprising: prior to depositing a second metal layer on the second substrate and in the via, depositing an adhesive layer in the via.
6. The method of claim 4, wherein the depositing a sacrificial layer further comprises: filling a gap on and around the cross-member with the sacrificial layer; and depositing the sacrificial layer on the upper surface of the metallization layer.
7. The method of claim 4, wherein the sacrificial layer is made of photoresist.

13

- 8. The method of claim 4, wherein the removing the sacrificial layer is by oxygen ashing.
- 9. A micro mirror fabricated by the method of claim 4.
- 10. A micro mirror fabricated by the method of claim 3.
- 11. The method of claim 2, wherein the fabricating an electrode and a cross-member on the second substrate further comprises:
  - depositing a first metal layer on the second substrate;
  - patterning the first metal layer in a pattern that will define the electrodes;
  - etching the first metal layer and second substrate above the cavity of the first substrate to release the cross-member; and
  - etching the first metal layer and second substrate to leave behind the material that makes up the electrodes and the cross-member.
- 12. A micro mirror fabricated by the method of claim 11.
- 13. The method of claim 1, wherein the second substrate is a single piece of material.
- 14. The method of claim 13, wherein the single piece of material is single crystal silicon.
- 15. The method of claim 1, further comprising:
  - prior to bonding the second substrate on the first side of the first substrate,
  - fabricating addressing and control circuitry on the first substrate.
- 16. The method of claim 15, wherein the circuitry is formed using standard CMOS techniques.
- 17. The method of claim 1, wherein the forming a first substrate defining a cavity further comprises:
  - putting a mask onto the first substrate, the mask having a first portion defining a location of the cavity, the first portion exposing the first substrate underneath the first portion to be etched, and a second portion defining locations outside of the cavity, the second portion capable of preventing the first substrate underneath the second portion from being etched;
  - etching the first substrate beneath the first portion of the mask to a predetermined depth; and
  - removing the mask from the substrate.
- 18. The method of claim 1, wherein the predetermined depth is 2,000 to 6,000 Angstroms.
- 19. The method of claim 1, wherein the bonding the first side of the first substrate to the first side of the second substrate occurs at room temperature.
- 20. The method of claim 1, wherein the cleaving off a portion of the second side of the second substrate occurs by a physical process.
- 21. The method of claim 1, wherein the cleaving off a portion of the second side of the second substrate occurs by heating under 400 degrees C.

14

- 22. A micro mirror fabricated by the method of claim 1.
- 23. A micro mirror, comprising:
  - a first layer with a first side and a second side, the first layer having a cavity on the first side;
  - a second layer with a first side and a second side, the first side of the second layer bonded to the first side of the first layer, wherein the second layer is a single piece of single crystal silicon and the second layer further comprises:
    - a base fabricated from a portion of the second layer;
    - a cross-member fabricated from a portion of the second layer substantially aligned with the cavity, the cross-member continuous with and supported by the base, the cross-member suspended over the cavity;
    - a connector pedestal fabricated on the cross-member, the pedestal substantially in the center of the micro mirror; and
    - a mirror plate connected to the connector pedestal such that the mirror plate may rotate about an axis defined by the cross-member.
- 24. The micro mirror of claim 23, wherein the first layer further comprises addressing and control circuitry.
- 25. The micro mirror of claim 23, wherein the bonding of the first and second layers occurs at room temperature.
- 26. The micro mirror of claim 23, wherein the second layer is formed by hydrogen-induced silicon layer cleavage.
- 27. The micro mirror of claim 23, wherein the second layer has a thickness of 2,000 to 6,000 Angstroms.
- 28. The micro mirror of claim 23, wherein the base forms a bias street of predetermined width around the perimeter of the second layer.
- 29. The micro mirror of claim 28, wherein the predetermined width is 3 microns or greater.
- 30. The micro mirror of claim 23, wherein the base acts as a bias plane for the micro mirror.
- 31. The micro mirror of claim 23, wherein the base has at least one electrode for receiving a voltage to controllably deflect the mirror plate.
- 32. The micro mirror of claim 23, wherein the cross-member is diagonally oriented with respect to the base.
- 33. The micro mirror of claim 23, wherein the cross-member is a vertically oriented torsion spring.
- 34. The micro mirror of claim 23, wherein the cross-member is formed substantially beneath the mirror plate and is substantially concealed by the mirror plate.
- 35. The micro mirror of claim 23, wherein the pedestal and mirror plate are formed from a single material.
- 36. The micro mirror of claim 23, where in the single material is aluminum.
- 37. The micro mirror of claim 23, wherein the mirror plate is substantially square in shape.

\* \* \* \* \*