



US006851057B1

(12) **United States Patent**  
**Nachenberg**

(10) **Patent No.:** **US 6,851,057 B1**  
(45) **Date of Patent:** **Feb. 1, 2005**

- (54) **DATA DRIVEN DETECTION OF VIRUSES**
- (75) Inventor: **Carey S. Nachenberg**, Northridge, CA (US)
- (73) Assignee: **Symantec Corporation**, Cupertino, CA (US)
- (\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: **09/451,632**
- (22) Filed: **Nov. 30, 1999**
- (51) Int. Cl.<sup>7</sup> ..... **G06F 11/30**; G06F 12/14; H04L 9/00; H04L 9/32
- (52) U.S. Cl. .... **713/200**; 703/23; 703/26; 380/4; 380/25; 713/188; 713/201; 713/202; 914/38
- (58) **Field of Search** ..... 713/188, 200, 713/201; 914/38; 703/23, 26; 380/4, 25

Parkhouse, Jayne, "Pelican SafeTNet 2.0" [online], Jun. 2000, SC Magazine Product Review, [retrieved on Dec. 1, 2003]. Retrieved from the Internet: <URL: http://www.sc-magazine.com/scmagazine/standalone/pelican/sc\_pelican.html.

(List continued on next page.)

*Primary Examiner*—Ayaz Sheikh  
*Assistant Examiner*—Shin-Hon Chen  
(74) *Attorney, Agent, or Firm*—Fenwick & West LLP

(57) **ABSTRACT**

A virus detection system (VDS) (400) operates under the control of P-code to detect the presence of a virus in a file (100) having multiple entry points. P-code is an intermediate instruction format that uses primitives to perform certain functions related to the file (100). The VDS (400) executes the P-code, which provides Turing-equivalent capability to the VDS. The VDS (400) has a P-code data file (410) for holding the P-code, a virus definition file (VDF) (412) for holding signatures of known viruses, and an engine (414) for controlling the VDS. The engine (414) contains a P-code interpreter (418) for interpreting the P-code, a scanning module (424) for scanning regions of the file (100) for the virus signatures in the VDF (412), and an emulating module (426) for emulating entry points of the file. When executed, the P-code examines the file (100), posts (514) regions that may be infected by a virus for scanning, and posts (518) entry points that may be infected by a virus for emulating. The P-code can also detect (520) certain viruses algorithmically. Then, the posted regions and entry points of the file (100) are scanned (526) and emulated (534) to determine if the file is infected with a virus. This technique allows the VDS (400) to perform sophisticated analysis of files having multiple entry points in a relatively brief amount of time. In addition, the functionality of the VDS (400) can be changed by changing the P-code, reducing the need for burdensome engine updates.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

5,386,523	A	*	1/1995	Crook et al.	711/220
5,696,822	A	*	12/1997	Nachenberg	713/200
5,796,989	A		8/1998	Morley et al.	
5,826,013	A		10/1998	Nachenberg	
5,854,916	A		12/1998	Nachenberg	
5,881,151	A	*	3/1999	Yamamoto	713/200
5,964,889	A		10/1999	Nachenberg	
5,999,723	A		12/1999	Nachenberg	
6,021,510	A		2/2000	Nachenberg	
6,067,410	A		5/2000	Nachenberg	
6,088,803	A		7/2000	Tso et al.	
6,094,731	A		7/2000	Waldin et al.	
6,311,277	B1	*	10/2001	Takaragi et al.	713/201
6,357,008	B1		3/2002	Nachenberg	

**OTHER PUBLICATIONS**

Symantec, Understanding Heuristics: Symantec's Bloodhound Technology, 1997, Symantec White Paper Series, vol. XXXIV.\*  
Trend Micro, Inc, Eliminating Viruses in the Lotus Notes Environment, 1999, Trend Micro Product Paper.\*

**20 Claims, 5 Drawing Sheets**



OTHER PUBLICATIONS

Padawer, "Microsoft P-Code Technology," [online]. Apr. 1992 [retrieved on Nov. 13, 2003]. Retrieved from the Internet: <: [http://msdn.microsoft.com/archive/en-us/dnarvc/html/msdn\\_c7pcode2.asp?frame=true.](http://msdn.microsoft.com/archive/en-us/dnarvc/html/msdn_c7pcode2.asp?frame=true.)>, 6 pages.

"Frequently Asked Questions on Virus-L/comp.virus," [online]. Oct. 9, 1995 [retrieved on Nov. 25, 2003]. Retrieved from the Internet: <URL:<http://www.claws-and-paws.com/virus/faqs/vlfaq200.shtml>>, 53 pages.

LeCharlier et al., "Dynamic Detection and Classification of Computer Viruses Using General Behaviour Patterns," Proceedings of the Fifth International Virus Bulletin Conference, Boston, Mass., Sep. 20-22, 1995, 22 pages.

McCanne et al., "The BSD Packet Filter: A new Architecture for User-level Packet Capture," Preprint Dec. 19, 1992,

1993 Winter USENIX conference, San Diego, California, Jan. 25-29, 1993, 11 pages.

Leitold et al., "VIRus Searching and KILLing Language," Proceedings of the Second International Virus Bulletin Conference, Sep. 1992, 15 pages.

Taubes, "An Immune System for Cyberspace," Think Research [online], vol. 34, No. 4, 1996 [retrieved on Dec. 15, 2003]. Retrieved from the Internet: <URL: [http://domino.research.ibm.com/comm/wwwr\\_thinkresearch.nsf/pages/antivirus496.html](http://domino.research.ibm.com/comm/wwwr_thinkresearch.nsf/pages/antivirus496.html)>, 9 pages.

Ször, "Memory Scanning Under Windows NT," Virus Bulletin Conference, Sep. 1999, 22 pages.

Ször, "Attacks on Win32," Virus Bulletin Conference, Oct. 1998, 84 pages.

\* cited by examiner




FIG. 1 (PRIOR ART)




FIG. 2




FIG. 3




FIG. 4




FIG. 5

## DATA DRIVEN DETECTION OF VIRUSES

## BACKGROUND

## FIELD OF THE INVENTION

This invention pertains in general to detecting viruses within files in digital computers and more particularly to detecting the presence of a virus in a file having multiple entry points.

## BACKGROUND OF THE INVENTION

Simple computer viruses work by copying exact duplicates of themselves to each executable program file they infect. When an infected program executes, the simple virus gains control of the computer and attempts to infect other files. If the virus locates a target executable file for infection, it copies itself byte-for-byte to the target executable file. Because this type of virus replicates an identical copy of itself each time it infects a new file, the simple virus can be easily detected by searching in files for a specific string of bytes (i.e. a "signature") that has been extracted from the virus.

Encrypted viruses comprise a decryption routine (also known as a decryption loop) and an encrypted viral body. When a program file infected with an encrypted virus executes, the decryption routine gains control of the computer and decrypts the encrypted viral body. The decryption routine then transfers control to the decrypted viral body, which is capable of spreading the virus. The virus is spread by copying the identical decryption routine and the encrypted viral body to the target executable file. Although the viral body is encrypted and thus hidden from view, these viruses can be detected by searching for a signature from the unchanging decryption routine.

Polymorphic encrypted viruses ("polymorphic viruses") comprise a decryption routine and an encrypted viral body which includes a static viral body and a machine-code generator often referred to as a "mutation engine." The operation of a polymorphic virus is similar to the operation of an encrypted virus, except that the polymorphic virus generates a new decryption routine each time it infects a file. Many polymorphic viruses use decryption routines that are functionally the same for all infected files, but have different sequences of instructions.

These multifarious mutations allow each decryption routine to have a different signature. Therefore, polymorphic viruses cannot be detected by simply searching for a signature from a decryption routine. Instead, antivirus software uses emulator-based antivirus technology, also known as Generic Decryption (GD) technology, to detect the virus. The GD scanner works by loading the program into a software-based CPU emulator which acts as a simulated virtual computer. The program is allowed to execute freely within this virtual computer. If the program does in fact contain a polymorphic virus, the decryption routine is allowed to decrypt the viral body. The GD scanner can then detect the virus by searching through the virtual memory of the virtual computer for a signature from the decrypted viral body.

Metamorphic viruses are not encrypted but vary the instructions in the viral body with each infection of a host file. Accordingly, metamorphic viruses often cannot be detected with a string search because they do not have static strings.

Regardless of whether the virus is simple, encrypted, polymorphic, or metamorphic, the virus typically infects an

executable file by attaching or altering code at or near an "entry point" of the file. An "entry point" is an instruction or instructions in the file that a virus can modify to gain control of the computer system on which the file is being executed.

5 Many executable files have a "main entry point" containing instructions that are always executed when the program is invoked. Accordingly, a virus seizes control of the program by manipulating program instructions at the main entry point to call the virus instead of the program. The virus then  
10 infects other files on the computer system.

When infecting a file, the virus typically stores the viral body at the main entry point, at the end of the program file, or at some other convenient location in the file. When the virus completes execution, it calls the original program  
15 instructions that were altered by the virus.

In order to detect the presence of a virus, antivirus software typically scans the code near the main entry point, and other places where the viral body is likely to reside, for strings matching signatures held in a viral signature data-  
20 base. In addition, the antivirus software emulates the code near the main entry point in an effort to decrypt any encrypted viral bodies. Since viruses usually infect only the main entry point, the antivirus software can scan and emulate a file relatively quickly. When new viruses are detected,  
25 the antivirus software can be updated by adding the new viral signatures to the viral signature database.

More recently, however, viruses have been introduced that infect entry points other than the main entry point. As a result, the number of potential entry points for a viral  
30 infection in a typical search space, such as a MICROSOFT WINDOWS portable executable (PE) file, is very large. Prior art antivirus software would require an extremely long processing time to scan and/or emulate the code surrounding all of the entry points in the file that might be infected by a  
35 virus.

Moreover, the multiple entry points provide opportunities for viruses to use previously unknown methods to infect a file. As a result, it may not be possible to detect the virus  
40 merely by adding a new signature to the viral signature database. In many cases, the virus detection system itself must be updated with hand-coded virus detection routines in order to detect the new viruses. Writing custom detection routines and updating the antivirus software requires a  
45 considerable amount of work, especially when the antivirus software is distributed to a mass market.

Therefore, there is a need in the art for antivirus software that can detect viruses in PE and other files having multiple  
50 entry points without requiring a prohibitively large amount of processing time. There is also a need that the antivirus software be easily upgradeable, so that new virus detection capabilities can be added without requiring hand-coded virus detection logic or needing to distribute a new virus  
55 detection engine.

## SUMMARY OF THE INVENTION

The above needs are met by a virus detection system (VDS) (400) for detecting the presence of a virus in a file (100) having multiple entry points. The VDS (400) preferably includes a data file (410) holding P-code instructions. P-code is an interpreted language that provides the VDS (400) with Turing machine-equivalent behavior, and allows the VDS to be updated by merely updating the P-code. The VDS (400) also includes a virus definition file (VDF) (412)  
65 containing virus signatures for known viruses. Each virus signature is a string of bytes characteristic of the static viral body of the given virus.



The VDS (400) is controlled by an engine (414) having a P-code interpreter (418) for interpreting the P-code in the data file (410). The P-code interpreter (418) may also contain primitives (420) that can be invoked by the P-code. Primitives are functions that can be called by the P-code. The primitives (420) preferably perform file and memory manipulations, and can also perform other useful tasks. In addition, the engine (414) has a scanning module (424) for scanning a file or range of memory for virus signatures in the VDF (412) and an emulating module (426) for emulating code in the file (100) in order to decrypt polymorphic viruses and detect the presence of metamorphic viruses.

The engine (414) interprets the P-code in the P-code data file (410) and responds accordingly. In one embodiment, the P-code examines the entry points in the file (100) to determine whether the entry points might be infected with a virus. Those entry points and other regions of the file (100) commonly infected by viruses or identified by suspicious characteristics in the file, such as markers left by certain viruses, are posted (514) for scanning. Likewise, the P-code posts (518) entry points and starting contexts for regions of the file (100) that are commonly infected by viruses or bear suspicious characteristics for emulating. Using the P-code to preprocess regions of the file (100) and select only those regions or entry points that are likely to contain a virus for subsequent scanning and/or emulating allows the VDS (400) to examine files for viruses that infect places other than the main entry point in a reasonable amount of time. The P-code can also determine whether the file (100) is infected with a virus by using virus detection routines written directly into the P-code, thereby eliminating the need to scan for strings or emulate the file (100).

A region posted for string scanning is identified by a range of memory addresses. Preferably, the P-code merges postings having overlapping ranges so that a single posting specifies the entire region to be scanned. When an entry point is posted for emulating, the P-code specifies the emulation context, or starting state to be used for the emulation. An entry point can be posted multiple times with different contexts for each emulation.

The engine (414) uses the scanning module (424) to scan the regions of the file (100) that are posted for scanning by the P-code for the virus signatures in the VDF (412). If the scanning module (424) detects a virus, the VDS (400) preferably reports that the file (100) is infected and stops operation.

If the scanning module (424) does not find a virus in the posted regions, a preferred embodiment of the present invention optionally utilizes a hook to call (530) custom virus detection code. The hook allows virus detection engineers to insert a custom program into the VDS (400) and detect viruses that, for reasons of speed and efficiency, are better detected by custom code.

Then, the VDS (400) preferably uses the emulating module (426) to emulate the posted entry points. Preferably, each posted entry point is emulated for enough instructions to allow polymorphic and metamorphic viruses to decrypt or otherwise become apparent. Once emulation is complete, the VDS (400) uses the scanning module (424) to scan pages of the virtual memory (434) that were either modified or emulated through for signatures of polymorphic viruses and uses stochastic information obtained during the emulation, such as instruction usage profiles, to detect metamorphic viruses. If the scanning module (424) or VDS (400) detects a virus, the VDS reports that the file (100) is infected. Otherwise, the VDS (400) reports that it did not detect a virus in the file (100).

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a high-level block diagram of a conventional executable file 100 having multiple entry points that can be infected by a virus;

FIG. 2 is a high-level block diagram of a computer system 200 for storing and executing the file 100 and a virus detection system (VDS) 400;

FIG. 3 is a flow chart illustrating steps performed by a typical virus when infecting the file 100;

FIG. 4 is a high-level block diagram of the VDS 400 according to a preferred embodiment of the present invention; and

FIG. 5 is a flow chart illustrating steps performed by the VDS 400 according to a preferred embodiment of the present invention.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In order to accomplish the mischief for which they are designed, software viruses must gain control of a computer's central processing unit (CPU). Viruses typically gain this control by attaching themselves to an executable file (the "host file") and modifying the executable image of the host file at an entry point to pass control of the CPU to the viral code. The virus conceals its presence by passing control back to the host file after it has run by calling the original instructions at the modified entry point.

Viruses use different techniques to infect the host file. For example, a simple virus always inserts the same viral body into the target file. An encrypted virus infects a file by inserting an unchanging decryption routine and an encrypted viral body into the target file. A polymorphic encrypted virus (a "polymorphic virus") is similar to an encrypted virus, except that a polymorphic virus generates a new decryption routine each time it infects a file. A metamorphic virus is not encrypted, but it reorders the instructions in the viral body into a functionally equivalent, but different, virus each time it infects a file. Simple and encrypted viruses can typically be detected by scanning for strings in the viral body or encryption engine, respectively. Since polymorphic and metamorphic viruses usually do not have static signature strings, polymorphic and metamorphic viruses can typically be detected by emulating the virus until either the static viral body is decrypted or the virus otherwise becomes apparent. While this description refers to simple, encrypted, polymorphic, and metamorphic viruses, it should be understood that the present invention can be used to detect any type of virus, regardless of whether the virus fits into one of the categories described above.

A virus typically infects an executable file by attaching or altering code at or near an entry point of the file. An "entry point" is any instruction or instructions in the file that a virus can modify to gain control of the computer system on which the file is being executed. An entry point is typically identified by an offset from some arbitrary point in the file. Certain entry points are located at the beginning of a file or region and, thus, are always invoked when the file or region is executed. For example, an entry point can be the first instruction executed when a file is executed or a function within the file is called. Other entry points may consist of single instructions deep within a file that can be modified by a virus. For example, the entry point can be a CALL or JMP instruction that is modified to invoke viral code. Once a virus seizes control of the computer system through the entry point, the virus typically infects other files on the system.

FIG. 1 is a high-level block diagram of an executable file **100** having multiple entry points that can be infected by a virus as described above. In the example illustrated by FIG. 1, the executable file is a Win32 portable executable (PE) file intended for use with a MICROSOFT WINDOWS-based operating system (OS), such as WINDOWS 98, WINDOWS NT, and WINDOWS 2000. Typically, the illustrated file **100** is of the type .EXE, indicating that the file is an executable file, or .DLL, indicating that the file is a dynamic link library (DLL). However, the present invention can be used with any file, and is not limited to only the type of file illustrated in FIG. 1. APPLE MACINTOSH files, for example, share many similarities with Win32 files, and the present invention is equally applicable to such files.

The file **100** is divided into sections containing either code or data and aligned along four kilobyte (KB) boundaries. The MS-DOS section **102** contains the MS-DOS header **102** and is marked by the characters "MZ". This section **102** contains a small executable program **103** designed to display an error message if the executable file is run in an unsupported OS (e.g., MS-DOS). This program **103** is an entry point for the file **100**. The MS-DOS section **102** also contains a field **104** holding the relative offset to the start **108** of the PE section **106**. This field **104** is another entry point for the file **100**.

The PE section **106** is marked by the characters "PE" and holds a data structure **110** containing basic information about the file **100**. The data structure **110** holds many data fields describing various aspects of the file **100**. One such field is the "checksum" field **111**, which is rarely used by the OS.

The next section **112** holds the section table **114**. The section table **114** contains information about each section in the file **100**, including the section's type, size, and location in the file **100**. For example, entries in the section table **114** indicate whether a section holds code or data, and whether the section is readable, writeable, and/or executable. Each entry in the section table **114** describes a section that may have multiple, one, or no entry points.

The text section **116** holds general-purpose code produced by the compiler or assembler. The data section **118** holds global and static variables that are initialized at compile time.

The export section **120** contains an export table **122** that identifies functions exported by the file **100** for use by other programs. An EXE file might not export any functions but DLL files typically export some functions. The export table **122** holds the function names, entry point addresses, and export ordinal values for the exported functions. The entry point addresses typically point to other sections in the file **100**. Each exported function listed in the export table **122** is an entry point into the file **100**.

The import section **124** has an import table **126** that identifies functions that are imported by the file **100**. Each entry in the import table **126** identifies the external DLL and the imported function by name. When code in the text section **116** calls a function in another module, such as an external DLL file, the call instruction transfers control to a JMP instruction also in the text section **116**. The JMP instruction, in turn, directs the call to a location within the import table **126**. Both the JMP instruction and the entries in the import table **126** represent entry points into the file **100**. Additional information about the Win32 file format is found in M. Pietrek, "Peering Inside the PE: A Tour of the Win32 Portable Executable File Format," Microsoft Systems Journal, March 1994, which is hereby incorporated by reference.

FIG. 2 is a high-level block diagram of a computer system **200** for storing and executing the host file **100** and a virus detection system (VDS) **400**. Illustrated are at least one processor **202** coupled to a bus **204**. Also coupled to the bus **204** are a memory **206**, a storage device **208**, a keyboard **210**, a graphics adapter **212**, a pointing device **214**, and a network adapter **216**. A display **218** is coupled to the graphics adapter **212**.

The at least one processor **202** may be any general-purpose processor such as an INTEL x86, SUN MICROSYSTEMS SPARC, or POWERPC compatible-CPU. The storage device **208** may be any device capable of holding data, like a hard drive, compact disk read-only memory (CD-ROM), DVD, or a solid-state memory device. The memory **206** holds instructions and data used by the processor **202**. The pointing device **214** may be a mouse, track ball, light pen, touch-sensitive display, or other type of pointing device, and is used in combination with the keyboard **210** to input data into the computer system **200**. The graphics adapter **212** displays images and other information on the display **218**. The network adapter **216** couples the computer system **200** to a local or wide area network.

Preferably, the host file **100** and program modules providing the functionality of the VDS **400** are stored on the storage device **208**. The program modules, according to one embodiment, are loaded into the memory **206** and executed by the processor **202**. Alternatively, hardware or software modules for providing the functionality of the VDS **400** may be stored elsewhere within the computer system **200**.

FIG. 3 is a flow chart illustrating steps performed by a typical virus when infecting the host file **100**. The illustrated steps are merely an example of a viral infection and are not representative of any particular virus. Initially, the virus executes **310** on the computer system **200**. The virus may execute, for example, when the computer system **200** executes or calls a function in a previously-infected file.

When the host file **100** is opened, the virus appends **312** the viral code to a location within the file. For example, the virus can append the viral body to the slack space at the end of a section or put the viral body within an entirely new section. The virus can be, for example, simple, encrypted, polymorphic, or metamorphic.

The virus also modifies **314** the section table **114** to account for the added viral code. For example, the virus may change the size entry in the section table **114** to account for the added viral code. Likewise, the virus may add entries for new sections added by the virus. If necessary, the virus may mark an infected section as executable and/or place a value in a little used field, such as the checksum field **111**, to discreetly mark the file as infected and prevent the virus from reinfecting the file **100**.

In addition, the virus alters **316** an entry point of the file **100** to call the viral code. The virus may accomplish this step by, for example, overwriting the value in the field **104** holding the relative offset to the start **108** of the PE section **106** with the relative offset to virus code stored elsewhere in the file. Alternatively, the virus can modify entries in the export table **122** to point to sections of virus code instead of the exported functions. A virus can also modify the destination of an existing JMP or CALL instruction anywhere in the file **100** to point to the location of viral code elsewhere in the file, effectively turning the modified instruction into a new entry point for the virus.

FIG. 4 is a high-level block diagram of the VDS **400** according to a preferred embodiment of the present invention. The VDS **400** includes a P-code data file **410**, a virus

definition file (VDF) **412**, and an engine **414**. The P-code data file **410** holds P-code instructions for examining the host file **100**. As used herein, "P-code" refers to program code instructions in an interpreted computer language. The P-code provides a Turing-equivalent programmable system which has all of the power of a program written in a more familiar language, such as C. Preferably, the P-code instructions in the data file **410** are created by writing instructions in any computer language and then compiling the instructions into P-code. Other portable, i.e., cross-platform, languages or instruction representations, such as JAVA, may be used as well.

The VDF **412** preferably holds an entry or virus definition for each known virus. Each virus definition contains information specific to a virus or strain of viruses, including a signature for identifying the virus or strain. An entry in the VDF **412**, according to an embodiment of the present invention, is organized as follows:

```
[VirusID]
0x2f41
[SigStart]
0x89, 0xb4, 0xb8, 0x02, 0x096, 0x56, DONE
[SigEnd]
```

Here, [VirusID] is a data field for a number that identifies the specific virus or virus strain. [SigStart] and [SigEnd] bracket a virus signature, which is a string of bytes characteristic of the virus or strain having Virus ID 0x2f41. The signature, for example, may identify the static encryption engine of an encrypted virus or the static viral body of a polymorphic virus. The virus signatures are used to detect the presence of a virus in a file (or in the virtual memory **434** after emulating), typically by performing a string scan for the bytes in the signature. In one embodiment of the present invention, the VDF **412** holds virus definitions for thousands of viruses.

The engine **414** controls the operation of the VDS **400**. The engine **414** preferably contains a P-code interpreter **418** for interpreting the P-code in the P-code data file **410**. The interpreted P-code controls the operation of the engine **414**. In alternative embodiments where the data file **410** holds instructions in a format other than P-code, the engine **414** is equipped with a module for interpreting or compiling the instructions in the relevant format. For example, if the data file **410** holds JAVA instructions, the engine **414** preferably includes a JAVA Just-in-Time compiler.

The P-code interpreter **418** preferably includes special P-code function calls called "primitives" **420**. The primitives **420** can be, for example, written in P-code or a native language, and/or integrated into the interpreter itself. Primitives **420** are essentially functions useful for examining the host file **100** and the virtual memory **434** that can be called by other P-code. For example, the primitives **420** perform functions such as opening files for reading, closing files, zeroing out memory locations, truncating memory locations, locating exports in the file, determining the type of the file, and finding the offset of the start of a function. The functions performed by the primitives **420** can vary depending upon the computer or operating system in which the VDS **400** is being used. For example, different primitives may be utilized in a computer system running the MACINTOSH operating system than in a computer system running a version of the WINDOWS operating system. In an alternative embodiment, some or all of the primitives **416** can be stored in the P-code data file **410** instead of the interpreter **418**.

The engine **414** also contains a scanning module **424** for scanning pages of the virtual memory **434** or regions of a file

**100** for virus signatures held in the VDF **412**. In one embodiment, the scanning module **424** receives a range of memory addresses as parameters. The scanning module scans the memory addresses within the supplied range for signatures held in the VDF **412**.

The engine **414** also contains an emulating module **426** for emulating code in the file **100** starting at an entry point. The emulating module includes a control program **428** for setting up a virtual machine **430** having a virtual processor **432** and an associated virtual memory **434**. The virtual machine can emulate a 32-bit MICROSOFT WINDOWS environment, an APPLE MACINTOSH environment, or any other environment for which emulation is desired. The virtual machine **430** uses the virtual processor **432** to execute code in the virtual memory **434** in isolation from the remainder of the computer system **200**. Emulation starts with a given context, which specifies the contents of the registers, stacks, etc. in the virtual processor **432**. During emulation, every page of virtual memory **434** that is read from, written to, or emulated through is marked. The number of instructions that the virtual machine **430** emulates can be fixed at the beginning of emulation or can be determined adaptively while the emulation occurs.

FIG. 5 is a flow chart illustrating steps performed by the VDS **400** according to a preferred embodiment of the present invention. The behavior of the VDS **400** is controlled by the P-code. Since the P-code provides Turing machine-like functionality to the VDS **400**, the VDS **400** has an infinite set of possible behaviors. Accordingly, it should be understood that the steps illustrated in FIG. 5 represent only one possible set of VDS **400** behaviors.

Initially, the engine **414** executes **510** the P-code in the P-code data file **410**. Next, the P-code determines **512** which areas of the file **100** should be scanned for virus strings because the areas are likely to contain a simple or encrypted virus. Areas of the file **100** that should be scanned are posted **514** for later scanning. Typically, the main entry point of the PE header and the last section of the file **100** are always posted **514** for string scanning because these are the areas most likely to be infected by a virus. Any other region of the file can be posted **514** for scanning if the regions seem suspicious. For example, if the destination of a JMP or CALL instruction points to a suspicious location in the file **100**, it may be desirable to post the areas of the file surrounding both the instruction and the destination.

For other regions of the file **100**, the determination of whether to scan is made based on tell-tale markers set by the viruses, such as unusual locations and lengths of sections, or unusual attribute settings of fields within the sections. For example, if the value of an unused field, such as the checksum field **111**, is set or the length of a section is suspiciously long, then the P-code posts **514** a region of the section for scanning. Likewise, if a section that is normally not executable is marked as executable, then the P-code preferably posts **514** a region of the section for scanning.

Next, the P-code determines **516** which entry points should be posted **518** for emulating because the entry points are likely to execute polymorphic or metamorphic viruses. The P-code checks the main entry point **103** for known non-viral code. If such code is not found, then the P-code posts the main entry point **103** for emulating. Entry points in other regions of the file **100** are posted **518** for emulating if the code exhibits evidence of viral infection. For example, an entry point in a region of the file **100** is preferably posted for emulating if the checksum field **111** in the header contains a suspicious value. When an entry point is posted for emulating, an emulation context, or starting state of the computer system **200**, is also specified.

The P-code can also identify **520** viruses in the file **100** without emulating or string searching. This identification is performed algorithmically or stochastically using virus definitions written into the P-code. The virus definitions preferably use the primitives **420** in the interpreter **418** to directly test the file **100** for characteristics of known viruses. For example, if the last five bytes of a file or section have a certain signature found in only one virus, or the file size is evenly divisible by **10**, characteristics likely to occur only if the file is infected by certain viruses, then the P-code can directly detect the presence of the virus. In addition, the P-code can be enhanced with algorithms and heuristics to detect the behavior of unknown viruses. If a virus is found **522** by the P-code, the VDS **400** can stop **524** searching and report that the file **100** is infected with a virus.

Scan requests posted by the P-code are preferably merged and minimized to reduce redundant scanning. For instance, a posted request to scan bytes **1000** to **1500**, and another posted request to scan bytes **1200** to **3000**, are preferably merged into a single request to scan bytes **1000** to **3000**. Any merging algorithm known to those skilled in the art can be used to merge the scan requests. Posted emulating requests having identical contexts can also be merged, although such posts occur less frequently than do overlapping scan requests.

If the P-code does not directly detect **522** a virus, the VDS **400** next preferably performs scans on the posted regions of the file **100**. The VDS **400** executes **526** the scanning module **424** to scan the posted regions for the virus signatures of simple and encrypted viruses found in the VDF **412**. If a virus is found **528** by the scanning module **424**, the VDS **400** stops scanning **524** and reports that the file **100** is infected with a virus.

If neither the P-code nor the scanning module **424** detects the presence of a virus, the VDS **400** preferably utilizes a hook to execute **530** custom virus-detection code. The hook allows virus detection engineers to insert custom virus detection routines written in C, C++, or any other language into the VDS **400**. The custom detection routines may be useful to detect unique viruses that are not practical to detect via the P-code and string scanning. For example, it may be desired to use faster native code to detect a certain virus rather than the slower P-code. Alternate embodiments of the present invention may provide hooks to custom code at other locations in the program flow. If a virus is found **532** by the custom code, the VDS **400** can stop searching **524** for a virus and report that the file **100** is infected.

If the P-code, scanning module **424**, and custom code fail to detect a virus, the VDS **400** preferably executes the emulating module **426**. The emulating module **426** emulates **534** the code at the entry point posted by the P-code in order to decrypt polymorphic viruses and trace through code to locate metamorphic viruses. Once enough instructions have been emulated that any virus should become apparent (i.e., a polymorphic virus has decrypted the static viral body or the code of a metamorphic virus is recognized), the emulating module **426** preferably detects a polymorphic virus by using the scanning module **424** to scan pages of virtual memory **434** that were marked as modified or executed through for any virus signatures. The emulation module **426** preferably detects a metamorphic virus via stochastic information obtained during emulation, such as instruction usage profiles. If **536** a virus is found **534** by the emulating module **426**, the VDS **400** reports that the file **100** is infected. Otherwise, the VDS **400** reports **538** that it did not detect a virus in the file **100**.

In sum, the VDS **400** according to the present invention uses P-code and primitives **420** to extend the possible

behaviors of the VDS. The P-code also allows the VDS **400** to be updated to detect new viruses without costly engine upgrades. In addition, the behavior of the VDS **400** is adapted to examine files having multiple entry points in a reasonable amount of time.

The above description is included to illustrate the operation of the preferred embodiments and is not meant to limit the scope of the invention. The scope of the invention is to be limited only by the following claims. From the above discussion, many variations will be apparent to one skilled in the relevant art that would yet be encompassed by the spirit and scope of the invention.

I claim:

1. A virus detection system for detecting if a computer file is infected by a virus, the file having a plurality of potential virus entry points, the system comprising:

an engine for controlling operation of the virus detection system responsive to instructions stored in an intermediate language, the instructions adapted to examine the plurality of potential virus entry points and post for emulating ones of the plurality of potential virus entry points exhibiting characteristics indicating a possible virus;

an emulating module coupled to the engine for emulating the posted entry points of the file in a virtual memory responsive to the engine, wherein the virus may become apparent during the emulation of an entry points of the file infected by the virus; and

a scanning module coupled to the engine for scanning regions of the virtual memory for a signature of the virus responsive to the engine and the emulating module, wherein presence of the virus signature in a scanned region indicates that the file is infected by the virus.

2. The virus detection system of claim 1, further comprising:

a custom module coupled to the engine for executing custom virus-detection code responsive to invocation by the engine.

3. The virus detection system of claim 1, wherein the intermediate language is P-code and the engine comprises:

a P-code interpreter for interpreting the P-code and controlling the operation of the virus detection system responsive thereto.

4. The virus detection system of claim 3, wherein the engine further comprises:

primitives for performing operations with respect to the file and the virtual memory responsive to invocations of the primitives by the P-code.

5. The virus detection system of claim 1, further comprising:

a virus definition file coupled to the scanning module for holding virus signatures for use by the scanning module.

6. The virus detection system of claim 1, wherein the instructions stored in the intermediate language post regions of the file for scanning by the scanning module.

7. The virus detection system of claim 6, wherein postings identifying overlapping regions are merged into a single posting identifying the regions of the merged postings.

8. A method for detecting a virus in a computer file, the file having a plurality of potential virus entry points, the method comprising the steps of:

executing instructions stored in an intermediate language representation, the instructions performing the steps of: examining regions of the file for possible infection by viruses and posting for scanning any regions exhibiting characteristics indicating a possible virus infection;

11

examining the plurality of potential virus entry points of the file for possible infections by viruses and posting for emulating ones of the plurality of potential virus entry points exhibiting characteristics indicating a possible virus infection; and  
 5 examining the posted regions of the file to algorithmically determine whether the file is infected with a virus.

9. The method of claim 8, wherein the instructions further perform the steps of:  
 10 merging overlapping regions posted for scanning.

10. The method of claim 8, wherein the instructions further perform the step of:  
 15 calling a custom executable program to determine when the file is infected with a virus.

11. The method of claim 8, further comprising the step of: scanning the regions of the file posted for scanning for signatures of known viruses.

12. The method of claim 8, further comprising the steps of:  
 20 emulating the posted entry points in a virtual memory to allow the viruses to become apparent;  
 scanning the virtual memory for signatures of the viruses; and  
 25 examining stochastic information obtained during emulation to detect the presence of the known viruses.

13. The method of claim 8, wherein the step of examining the plurality of potential virus entry points of the file for possible infections by viruses and posting for emulating ones of the plurality of potential virus entry points exhibiting characteristics indicating a possible virus infection comprises the step of:  
 30 determining if a main entry point of the file has known non-viral code;  
 wherein the main entry point is posted for emulating responsive to a determination that the main entry point does not have known non-viral code.

14. A computer program product comprising:  
 40 a computer usable medium having computer readable code embodied therein for determining if a computer file is infected by a virus, the file having a plurality of potential virus entry points, the computer readable code comprising:

12

an engine for controlling the operation of the computer program product responsive to instructions stored in an intermediate language, the instructions adapted to examine the plurality of potential virus entry points and post for emulating ones of the plurality of potential virus entry points exhibiting characteristics indicating a possible virus infection;  
 an emulating module for emulating the posted entry points of the file in a virtual memory responsive to the engine, wherein the virus may become apparent during emulation of an entry points of the file infected by the virus; and  
 a scanning module for scanning regions of the virtual memory for a signature of the virus responsive to the engine and the emulating module, wherein presence of the virus signature indicates that the file is infected by the virus.

15. The computer program product of claim 14, further comprising:  
 a custom module for executing custom virus-detection code responsive to invocation by the engine.

16. The computer program product of claim 14, wherein the intermediate language is P-code and the engine comprises:  
 25 a P-code interpreter for interpreting the P-code and controlling the operation of the engine responsive thereto.

17. The computer program product of claim 16, wherein the engine further comprises:  
 30 primitives for performing operations with respect to the file and the virtual memory responsive to invocations of the primitives by the P-code.

18. The computer program product of claim 14, further comprising:  
 35 a virus definition file for holding virus signatures for use by the scanning module.

19. The computer program product of claim 14, wherein the instructions stored in the intermediate language post regions of the file for scanning by the scanning module.

20. The computer program product of claim 19, wherein postings identifying overlapping regions are merged into a single posting identifying the regions of the merged postings.

\* \* \* \* \*

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,851,057 B1  
DATED : February 1, 2005  
INVENTOR(S) : Carey S. Nachenberg

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10,

Line 23, please add -- infection -- after "virus";  
Line 28, please replace "points" with -- point --;

Column 11,


Lines 22, 23 and 26, please replace "viruses" with -- virus --;

Column 12,

Line 11, please replace "points" with -- point --.

Signed and Sealed this

Third Day of May, 2005

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

*Director of the United States Patent and Trademark Office*